



## A REVIEW ROLE OF PHARMACIST IN HOSPITAL AND CLINICAL PHARMACY

Shoyab Gauri<sup>1</sup>, Dr. Shailendra Chawda<sup>2\*</sup>

Research Scholar<sup>1</sup>, Assistant Professor<sup>2</sup>

Mandsaur Institute of Pharmacy Mandsaur University, Mandsaur.

Received: 30 April 2026

Revised: 12 May 2026

Accepted: 01 June 2026

Corresponding Author: Dr. Shailendra Chawda

Address: Assistant Professor, Mandsaur Institute of Pharmacy Mandsaur University, Mandsaur.

DOI: <https://doi.org/10.5281/zenodo.20529617>,

### ABSTRACT

Hospital and clinical pharmacists play an essential role in modern healthcare systems by ensuring the safe, effective, and rational use of medicines. Their responsibilities extend beyond dispensing medications to include patient counseling, participation in healthcare teams, monitoring adverse drug reactions, pharmacovigilance, medication therapy management, and clinical decision support. Clinical pharmacy has evolved significantly over the last few decades, improving patient outcomes, reducing medication errors, and enhancing the quality of care. This review discusses the role of pharmacists in hospital and clinical pharmacy, their responsibilities, challenges, and future prospects in healthcare settings.

### Key Demonstrated Benefits of Clinical Pharmacy Services:

- Significant reductions in medication-related adverse clinical events.
- Measurable lowering of overall medical treatment costs.
- Substantially better therapeutic patient outcomes.
- Reduced length of hospital stay and lower hospital readmission rates.

### INTRODUCTION

Pharmacy is one of the most important professions in healthcare, focusing on the preparation, dispensing, and appropriate use of medications. Hospital pharmacy refers to the branch of pharmacy that deals with procurement, storage, compounding, dispensing, and monitoring of medications within hospitals. Clinical pharmacy is a patient-oriented discipline in which

pharmacists work directly with healthcare professionals and patients to optimize drug therapy. The increasing complexity of diseases and drug therapies has expanded the responsibilities of pharmacists in healthcare systems.

### **Objectives of Hospital and Clinical Pharmacy**

The primary objectives of hospital and clinical pharmacy are to ensure rational use of medicines, improve therapeutic outcomes, reduce adverse drug reactions, and provide quality patient care. Pharmacists aim to promote safe medication practices, educate patients regarding drug use, monitor therapeutic responses, and support physicians in selecting appropriate drug therapies.

### **Role of Pharmacist in Hospital Pharmacy**

Hospital pharmacists are responsible for managing medication distribution systems and ensuring the availability of safe and effective medicines. Their duties include procurement of drugs, inventory control, compounding sterile preparations, dispensing prescriptions, maintaining patient records, and ensuring compliance with hospital policies. They also collaborate with physicians and nurses to reduce medication errors and optimize treatment outcomes.

### **Drug Procurement and Inventory Management**

One of the major responsibilities of hospital pharmacists is procurement and inventory management of medicines. Pharmacists ensure that medicines are purchased from reliable manufacturers and stored under proper conditions. Efficient inventory management helps in reducing wastage, preventing stock-outs, and maintaining the quality of medicines. Proper inventory systems also contribute to cost-effective healthcare management.

### **Dispensing and Distribution of Medicines**

Hospital pharmacists supervise the dispensing and distribution of medications to patients and healthcare departments. Accurate dispensing reduces the risk of medication errors and ensures patient safety. Pharmacists verify prescriptions for dose, dosage form, route of administration, and possible drug interactions before dispensing medicines.

### **Clinical Pharmacy Services**

Clinical pharmacy services involve direct patient care activities aimed at improving therapeutic outcomes. Clinical pharmacists participate in ward rounds, review patient

medication charts, monitor drug therapy, and provide recommendations to physicians. They play an important role in optimizing treatment regimens and preventing adverse drug reactions.

### **Medication Therapy Management**

Medication therapy management (MTM) is an essential component of clinical pharmacy practice. Pharmacists assess patient medications, identify drug-related problems, improve adherence, and counsel patients regarding proper medication use. MTM helps in achieving better disease control and reducing hospitalization rates.

### **Pharmacovigilance and Adverse Drug Reaction Monitoring**

Pharmacists contribute significantly to pharmacovigilance programs by monitoring, documenting, and reporting adverse drug reactions (ADRs). ADR monitoring improves drug safety and helps healthcare professionals identify risks associated with medications. Pharmacists educate healthcare staff and patients about recognizing and reporting adverse reactions.

### **Patient Counseling and Education**

Patient counseling is a key responsibility of pharmacists. Pharmacists educate patients regarding medication use, dosage schedules, side effects, storage conditions, and lifestyle modifications. Effective counseling improves medication adherence, reduces treatment failure, and enhances patient satisfaction.

### **Role in Antimicrobial Stewardship**

Hospital and clinical pharmacists are actively involved in antimicrobial stewardship programs. They help in selecting appropriate antibiotics, monitoring antibiotic use, preventing antimicrobial resistance, and ensuring rational prescribing practices. Their participation is essential in controlling the emergence of resistant microorganisms.

### **Participation in Healthcare Team**

Clinical pharmacists work as part of multidisciplinary healthcare teams consisting of physicians, nurses, and other healthcare professionals. They provide drug information, recommend dose adjustments, and contribute to treatment planning. Their collaboration improves therapeutic outcomes and patient safety.

### Challenges Faced by Pharmacists

Despite their important role, pharmacists face several challenges such as workload pressure, shortage of trained staff, lack of recognition, limited clinical involvement in some healthcare settings, and rapid changes in healthcare technology. Continuous professional education and supportive healthcare policies are necessary to overcome these challenges.

### Future Scope of Clinical Pharmacy

The future of clinical pharmacy is promising due to advancements in healthcare technology, personalized medicine, pharmacogenomics, and telepharmacy services. Pharmacists are expected to play greater roles in patient-centered care, chronic disease management, and healthcare research. Integration of digital technologies will further strengthen pharmacy services.

### CONCLUSION

Hospital and clinical pharmacists are vital members of healthcare systems. Their contributions to medication management, patient counseling, pharmacovigilance, and clinical decision-making significantly improve patient care and safety. Expanding the role of pharmacists in healthcare settings will help achieve better therapeutic outcomes and efficient healthcare delivery. Continuous education, collaboration, and technological advancements will further enhance the importance of pharmacists in modern medicine.

### REFERENCES

1. Healthcare Commission. The Best Medicine. The Management of Medicines in Acute and Specialist Trusts. Acute Hospital Portfolio Review. London: Healthcare Commission, 2007.
2. Department of Health. Pharmacy in England. Building on Strengths –Delivering the Future. London: Department of Health, 2008.
3. Department of Health. Equity and Excellence: Liberating the NHS. London: Department of Health, 2010.
4. Kucukarslan S, Peters M, Mlynarek M et al. Pharmacists on rounding teams reduce preventable adverse drug events in hospital general medical units. *Arch Intern Med.*, 2003; 163: 2014–2018.
5. Bond C, Raehl C, Franke T. Interrelationships among mortality rates, drug cost, total cost of care and length of stay in United States hospitals: summary and recommendations for clinical pharmacy services and staffing. *Pharmacotherapy*, 2001; 21: 129–141.

6. Scullin C, Scott M, Hogg A et al. An innovative approach to integrated medicines management. *J Eval Clin Pract.*, 2007; 13: 781–788.
7. Care Quality Commission. Guidance about Compliance. Essential Standards of Quality and Safety. London: Care Quality Commission, 2010.
8. American College of Clinical Pharmacy. The definition of clinical pharmacy. *Pharmacotherapy*, 2008; 28: 816–817.
9. Hepler C, Strand L. Opportunities and responsibilities in pharmaceutical care. *Am J Hosp Pharm.*, 1990; 47: 533–543.
10. Audit Commission. A Spoonful of Sugar – Medicines Management in NHS Hospitals. London: Audit Commission, 2001.
11. Calvert R. Clinical pharmacy – a hospital perspective. *Br J Clin Pharmacol.*, 1998; 47: 231–238.
12. Mandsaur Institute of Pharmacy, Mandsaur University, Mandsaur Page 21 A Review - Role of Pharmacist in Hospital and Clinical Pharmacy
13. Department of Health. A First Class Service, Quality in the New NHS. London: The Stationery Office, 1998.
14. Cotter S, Barber N, McKee M. Professionalisation of hospital pharmacy: the role of clinical pharmacy. *J Soc Admin Pharm.*, 1994; 11: 57–67.
15. Clucas K, chair. Pharmacy: A Report to the Nuffield Foundation. London: Nuffield Foundation, 1986.
16. Department of Health. Health Services Management. The Way Forward for Hospital Pharmaceutical Services. HC(88)54. London: HMSO, 1988.
17. National Patient Safety Agency. Rapid response report NPSA/2010/RRR009. Reducing harm from omitted and delayed medicines in hospital. Available online at: <http://www.nrls.npsa.nhs.uk/alerts/?entryid45¼66720>. (accessed 16 March 2010).
18. Anonymous. New all-Wales drug chart looks set to increase patient safety. *Hosp Pharm.*, 2005; 12: 184–185.
19. NHS Executive. Information for Health. An Information Strategy for a Modern NHS 1998- 2005. London: The Stationery Office, 1998.
20. Bentley A, Green R. Developing pharmaceutical services; the nursing view. *Br J Pharm Pract.*, 1981; 3: 4–9.
21. Cavell G, Bunn R, Hodges M. Consultants' views on the developing role of the hospital pharmacist. *Pharm J.*, 1987; 239: 100–102.

22. Cairns C, Prior F. The clinical pharmacist: a study of his hospital involvement. *Pharm J.*, 1983; 320: 16–18.
23. Trewin V, Town R. Pharmacist effectiveness at case conferences. *Br J Pharm Pract.*, 1986; 8: 298–304.
24. Department of Health. Building a Safer NHS for Patients. Implementing an Organisation with a Memory. London: The Stationery Office, 2001.
25. Dornan T, Ashcroft D, Heathfield H et al. An In-depth Investigation into Causes of Prescribing Errors by Foundation Trainees in Relation to their Medical Education. EQUIP study. Final report to the General Mandsaur Institute of Pharmacy, Mandsaur University, Mandsaur Page 22 A Review - Role of Pharmacist in Hospital and Clinical Pharmacy Medical Council. Manchester: University of Manchester School of Pharmacy and Pharmaceutical Sciences and School of Medicine, 2009.
26. Winstanley P, Irvin L, Smith J et al. Adverse drug reactions: a hospital pharmacy-based reporting scheme. *Br J Clin Pharmacol.*, 1989; 28: 113–116.
27. Lee A, Bateman D, Edwards C et al. Reporting of adverse drug reactions by hospital pharmacists: pilot scheme. *Br Med J.*, 1997; 315: 519.
28. Green C, Mottram D, Rowe P et al. Adverse drug reaction monitoring by United Kingdom hospital pharmacy departments: impact of the introduction of 'yellow card' reporting for pharmacists. *Int J Pharm Pract.*, 1999; 7: 238–246.
29. Dodds L. An objective assessment of the role of the pharmacist in medication and compliance history taking. *Br J Pharm Pract.*, 1982; 4: 12–24.
30. Hebron B, Jay C. Pharmaceutical care for patients undergoing elective ENT surgery. *Pharm J.*, 1998; 260: 65–66.
31. Gleason K, Groszek J, Sullivan C et al. Reconciliation of discrepancies in medication histories and admission orders of newly hospitalized patients. *Am J Health-Syst Pharm.*, 2004; 61: 1689–1695.
32. National Institute for Health and Clinical Excellence. NICE Patient Safety Guidance 1. Technical Patient Safety Solutions for Medicines Reconciliation on Admission to Hospital. London: National Institute for Health and Clinical Excellence, National Patient Safety Agency, 2007.
33. Karnon J, Campbell F, Czoski-Murray C. Model-based cost effectiveness analysis of interventions aimed at preventing medication error at hospital admission (medicines reconciliation). *J Eval Clin Pract.*, 2009; 15: 299–306.

34. Hick H, Deady P, Wright D et al. The impact of the pharmacist on an elective general surgery pre-admission clinic. *Pharm World Sci.*, 2001; 23: 65–69.
35. Mandsaur Institute of Pharmacy, Mandsaur University, Mandsaur Page 23 A Review - Role of Pharmacist in Hospital and Clinical Pharmacy.
36. Oliver S, Ashwell S. Pharmacists prescribing take home medication. *Pharm J.*, 2000; 265: 22.
37. Department of Health. Pharmacy in the Future – Implementing the NHS Plan. London: The Stationery Office, 2000.
38. National Institute for Health Research website: [http://www.nihr.ac.uk/infrastructure/Pages/infrastructure\\_clahrcs.aspx](http://www.nihr.ac.uk/infrastructure/Pages/infrastructure_clahrcs.aspx).
39. Bloom B. Daily regimen and compliance with treatment. *Br Med J* 2001; 323: 647.
40. National Institute for Health and Clinical Excellence. Medicines Adherence. Involving Patients in Decisions about Prescribed Medicines and Supporting Adherence. NICE clinical guideline 76. London: NICE, 2009.
41. National Institute for Health and Clinical Excellence. NICE Costing Statement. Medicines Adherence: Involving Patients in Decisions about Prescribed Medicines and Supporting Adherence. Accompanying medicines adherence clinical guideline 76. London: NICE, 2009.
42. Royal Pharmaceutical Society of Great Britain. From Compliance to Concordance: Towards Shared Goals in Medicine Taking. London: RPSGB, 1997.
43. Varma S, McElnay J, Hughes C et al. Pharmaceutical care of patients with congestive heart failure: interventions and outcomes. *Pharmacotherapy.*, 1999; 19: 860–869.
44. Johnston M, Clarke A, Mundy K et al. Facilitating comprehension of discharge medication in elderly patients. *Age Ageing*, 1986; 15: 304–306.
45. Goodyer L, Miskelly F, Milligan P. Does encouraging good compliance improve patients' clinical condition in heart failure? *Br J Clin Pract.*, 1995; 49: 173–176.
46. Mandsaur Institute of Pharmacy, Mandsaur University, Mandsaur Page 24A Review - Role of Pharmacist in Hospital and Clinical Pharmacy.
47. Al-Eidan F, McElnay J, Scott M et al. Management of *Helicobacter pylori* eradication – the influence of structured counseling and follow-up. *Br J Clin Pharmacol.*, 2002; 53: 163–171.
48. Sandler D, Mitchell J, Fellows A et al. Is an information booklet for patients leaving hospital helpful and useful? *Br Med J.*, 1989; 298: 870–874.

49. McElnay J, Scott M, Armstrong A et al. Audiovisual demonstration for patient counselling in the use of pressurised aerosol bronchodilatorinhalers. *J clin Pharm Ther.*, 1989; 14: 135–144.
50. Daly M, Jones S. Preliminary assessment of a computerised counselling program for asthmatic children. *Pharm J.*, 1991; 247: 206–208.
51. Raynor D, Booth T. Blenkinsopp A. Effects of computer generated reminder charts on patients' compliance with drug regimens. *Br Med J.*, 1993; 306: 1158–1161.
52. Wood S, Calvert R, Acomb C et al. A self-medication scheme for elderly patients improves compliance with their medication regimens. *Int J Pharm Pract.*, 1992; 1: 240–241.